Index of Authors, Volume 11

Ahmed, A, 342
Albert, A, 583
Aldegheri, G, 216
Allen, R, 490
Almog, S, 630
Aloy, A, 32
Amhan, M, 596
An, G, 397
Anderson, C, 301
Angel, JJ, 453
Anwar, M, 619
Aouifi, A, 646
Aoyama, K, 141
Armbruster, SC, 346
Augostides, YGT, 52
Aves, T, 596
Bailey, PL, 113
Baldwin, D, 17
Bardiau, FM, 583
Baris, S, 368
Baroncini, S, 360
Baughman, VL, 453
Beebe, DS, 576
Behne, M, 460
Belani, KG, 576
Belo, SE, 119
Bell, C, 317, 323
Belusko, R, 301
Ben Nun, M, 46
Ben Yehuda, Y, 563
Ben-David, B, 486
Bennett, N, 425
Berkenstadt, H, 630
Berti, M, 360
Bikhazi, GB, 572
Boaz, M, 563
Bon, C, 646
Bonarelli, S, 360
Boogaerts, JG, 583
Borodic, G, 615
Bothner, U, 391
Boulétreau, P, 646
Braeckman, MM, 583
Brennan, TA, 265
Brock-Utne, JG, 220
Brodsky, JB, 79
Brueckner S, 622
Burch, CM, 290
Campagni, MA, 208
Campbell, C, 453
Campos, JH, 126
Canosa, LG, 24
Caruso, L, 257
Casati, A, 216, 360
Chambrier, C, 646
Chen, L, 226
Cheng, MA, 349
Cheong, Y-P, 657
Chernow, B, 425
Chu, C-C, 296
Chuang, AZ, 596
Chui, PT, 251
Chung, DC, 471
Colingo, KA, 317
Colnaghi, E, 216
Concha, MR, 567
Coté, CJ, 56, 534
Coveler, LA, 445
Crabtree, JM, 257
Creed, MR, 453
Croitoru, M, 486
Cross, S, 641
Cullen, DJ, 85
Curry, SE, 148
Daggan, R, 536
Daley, MD, 445
Darby, P, 87
Deepika, K, 572
Dexter, F, 601
Diamond, SM, 609
Doerges, V, 590
Doyle, DJ, 79
Edmondson, D, 453
Egan, TD, 64
Eichhorn, JH, 669
Eisenman, TS, 201
El-Moalem, H, 652
Ellis, JE, 136
Endoh, H, 7
Ezra, D, 630
Fahy, BG, 336
Fanelli, G, 216, 360
Fasulo, A, 540
Faust, RJ, 150
Feinstein, M, 438
Figueredo, E, 24
Filmyer, WG, 355
Fisher, Q, 380
Fitzgerald, PC, 466
Fitzmaurice, BG, 79
Fleisher, LA, 380
Fox, CJ, 323
Fragen, RJ, 201, 466
Fredman, B, 46, 328, 635
Frey, K, 301
Friedberg, BL, 4
Frink, EJ, Jr, 201
Fujii, Y, 108
Furuichi, K, 672
Gabrielli, A, 257, 425
Gaiser, RR, 69
Gaitini, L, 486
Gajraj, NM, 140
Gan, TJ, 652
Garnerin, P, 39
Georgieff, M, 391
Gepstein, R, 46
Gerber, H, 386
Gilon, D, 132
Ginsberg, B, 652
Gioia, L, 216
Glass, PSA, 652
Goldberg, ME, 536, 609
Goll, EF, 87
Gomes, JMA, 663
Gonzalez, JA, 567
Gopalan, KT, 290
Goto, H, 406
Goto, T, 280, 285, 305, 477
Gouverneur, J-MA, 550
Gozal, D, 499
Gozal, Y, 499
Gratz, I, 536, 609
Greilich, NB, 140
Groudine, SB, 201
Gruessner, R, 576
Guldogus, F, 368
Hagelberg, S, 622
Hailey, A, 641
Hamber, EA, 113
Hammer, GB, 79, 254
Hanaoka, K, 332
Harris, AM, 150
Harvey, BD, 615
Harvey, SC, 17
Heifetz, C, 438
Helikson, MA, 431
Henry, C, 52
Heringlake, M, 590
Hess, D, 531
Hin, LY, 471
Hirsh, JL, 323
Ho, C-M, 296
Hoeft, A, 555
Holstadter, MB, 231
Honda, T, 545
Honma, Y, 375
Horrow, JC, 679
Howie, MB, 208
Ibuki, T, 80
Ihra, G, 32
Ikeda, S, 290
Ingardia, CJ, 416
Iraqi, R, 46
Ishiguro, Y, 285, 305
Ishihara, H, 101
Isshiki, A, 406
Iwagaki, T, 339

Journal of Clinical Anesthesia 11:685–687, 1999

© 2000 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/00/$–see front matter
PII S0952-8180(99)00134-8

Iwama, H, 140
Jackman, D, 164
Jahr, JS, 490
James, SW, 113
Jamieson, MA, 220
Jedeikin, R, 46, 328, 635
Jense, HG, 453
Jenzer, S, 386
Johnstone, RE, 1
Jones, FD, 336
Joshi, GP, 641
Kadoya, T, 141
Kagaya, S, 342
Kain, ZN, 231, 317, 540
Kalkman, CJ, 192, 196
Kamada, Y, 375
Kanto, JH, 11
Karakaya, D, 368
Kariger, R, 226
Kariya, N, 672
Katayama, T, 140
Katolik, J, 220
Kekoler, LJ, 453
Kempen, P, 441
Kenaan, CA, 572
Kepka, A, 32
Khalil, S, 596
Kharasch, ED, 201
Kim, T-Y, 657
Kindscher, JD, 406
Kirby, RR, 679
Kirvela, OA, 11, 310
Kitajima, T, 353
Kleinman, B, 301
Klock, PA, 136
Koenig, HM, 87
Koetter, KP, 439
Kolev, N, 32
Komura, N, 545
Konrad, C, 386
Kovac, AL, 235, 453
Kubota, H, 672
Kudoh, A, 101
Kurata, Y, 342
Laffey, JG, 419
Lam, J, 380
Larijani, G, 536
Lauder, GR, 187
Lauretti, GR, 663
Lee, J, 290
Lee, K-C, 657
Lee, T-Y, 296
Leino, KA, 310
Lemak, NA, 596
Levine, A, 563
Liang, BA, 69, 144, 267, 349, 440, 496
Liao, X, 397
Licina, M, 504
Lier, H, 555
Lighthall, GK, 220
Liposky, J, 413
Lischke, V, 460
Litaker, D, 143
Liu, H, 490
Liu, JH, 397
Lobato, EB, 675
Lu, JK, 113
Lubarsky, DA, 601
Lurie, S, 438
Luther, MA, 323
Macario, A, 601
Magistris, L, 216
Maleck, WH, 439
Malviya, S, 187
Mamet, Y, 438
Manciu, N, 576
Mandelberg, A, 563
Manecke, GR, Jr, 73
Mangano, DT, 143, 440
Marcell, J, 17
Mark, L, 380
Martineau, DB, 572
Masaki, E, 342
Mascha, E, 504
Matsukawa, T, 332
Matsuki, A, 101
Maurer, WG, 143
Mayan, H, 630
McConnell, S, 201
MCPR44 Study Group, 235
McSweeney, TD, 208
Meng, J, 140
Michelson, J, 380
Miheve, NT, 175
Mildh, LH, 310
Minami, K, 339
Mingay, DJ, 136
Mingus, M, 235, 453
Mohl, U, 391
Mori, J, 563
Morita, S, 280, 285, 305, 477
Muggia-Sullam, M, 132
Muittari, PA, 11
Multani, M, 17
Munoz, HR, 567
Munro, HM, 187
Musch, G, 413
Musto, P, 360
Mychaskiw, G, II, 669
Nakajima, Y, 80
Nakata, Y, 280, 285, 305, 477
Nakayama, M, 8
Namiki, A, 375
Naruse, R, 226
Neary, M, 235
Neligan, P, 419
Nelimarkka, O, 11
Nicholson, JJ, 323
Niimi, Y, 280, 285, 305, 477
Nishiyama, T, 332
Noga, J, 635
Noguchi, T, 339
Norman, PH, 445
Ocker, H, 590
O'Connor, TA, 453
Offord, KP, 150
Ogihara, Y, 406
Okuda, Y, 353
Olsfanger, D, 328
Oppenheim-Eden, A, 132
Orbegozo, M, 129
Orkin, FK, 175
Ormonde, G, 419
Ornstein, E, 142
Overdyk, FJ, 17
Pace, NL, 113
Palma, M-A, 567
Park, S-K, 657
Parker, BM, 143
Parker, SD, 380
Pattono, R, 360
Paturel, B, 646
Pearlman, A, 380
Pearman, MH, 453
Pereira, NL, 663
Perel, A, 630
Perlman, JI, 301
Philbrook, L, 596
Pivalizza, EG, 615
Pizov, R, 132
Pollard, JB, 39
Poppers, PJ, 73
Principato, RE, 609
Rabb, M, 596
Reis, MP, 663
Reusche, MD, 64
Rheineck-Leyssius, AT, 192, 196
Richter, S, 328
Rimar, S, 540
Robinson, W, 496
Roizen, MF, 136, 617
Ropcke, H, 555
Rose, SH, 150
Rosenblatt, MA, 519
Rotenberg, M, 630
Rust, P, 17
Sahinoglu, H, 368
Saitoh, Y, 108
Sardar, A, 355
Sarihasan, B, 368
Sata, T, 339
Saudin, F, 646
Schabernig, C, 32
Schartel, SA, 519
Scher, CS, 619
Schmucker, P, 590, 622
Schmucki, O, 386
Schnatz, P, 416
Schoenwald, P, 164
Schraag, S, 391
Schubert, A, 85, 148, 502, 504
Schupfer, G, 386
Schwilden, H, 555
Seavello, J, 254
Seeberger, MD, 482
Segal, E, 630
Seidel, L, 583
Seppala, T, 11
Serour, F, 563
Sevoflurane Low-Flow Study Group, 201
Shahvari, MBG, 453
Sheikh, T, 129
Shibue, C, 545
Shigematsu, A, 339
Shimoji, K, 545
Shupak, RC, 247
Siemens, H-JG, 622
Singelyn, FJ, 550

Skarvan, K, 482
Slogoff, S, 129
Sloninsky, A, 226
Smith, J, 164
Smith, MP, 504
Snyder, DS, 380
Son, Y, 657
Song, D, 364
Song, Y-K, 657
Soppitt, AJ, 652
Sprung, CL, 132
Steinberg, D, 536
Steinfeld, JD, 416
Stevens, RA, 301
Strauser, LM, 431
Studer, W, 482
Sun, M-S, 296
Sung, Y-F, 235
Sutherland, DER, 576
Tait, AR, 187
Takara, H, 339
Takenaka, I, 141
Takinami, M, 342
Tanaka, H, 108
Tanaka, Y, 80
Tang, J, 226
Tempelhoff, R, 349
Terui, K, 285, 305
Tetzlaff, JE, 143, 164, 504
Thompson-Bell, G, 641
Thornton, A, 490
Tobias, JD, 242, 431, 606
Tobias, MD, 52
Tomiyama, H, 80
Tongier, WK, 346
Toriyabe, M, 375
Torri, G, 216, 360
Toyoda, Y, 672
Toyooka, H, 108
Toyoyama, H, 672
Tran, P, 576
Travis, D, 609
Travis, KW, 175
Troll, G, 615
Truog, RD, 496
Tsou, M-Y, 296
Tur, A, 368
Uchiyama, M, 280
Uezono, S, 280
Urabe, K, 353
Urdaneta, F, 675
Ustun, E, 368
Villanueva, G, 596
Villanueva, R, 317
Vinik, HR, 95
Voepel-Lewis, T, 187
Vogel, WA, 73
Wagner, T, 622
Wang, S-M, 231
Warrick, PD, 119
Wass, CT, 150
Watanabe, I, 545
Wax, JR, 416
Weatherwax, K, 652
Weiner, ID, 257
Weiss, YG, 132
Weissman, C, 355
Wells, DT, 113
Wells, L, 596
Wender, RH, 226
Wheeler, M, 56
White, PF, 78, 208, 226, 346, 364
Whitten, CC, 641
Wilke, H-J, 460
Wong, JK, 346
Wu, X, 482
Xue, FS, 397
Yamakage, M, 375
Yaretzky, A, 635
Yeo, V, 471
Yoon, J-S, 657
Zakel, D, 32
Zefeiridis, A, 536
Zeitlin, GL, 175
Zhang, YM, 397
Zhou, J, 601
Zohar, E, 46, 328, 635
Zsigmond, EK, 87
Zuckerman, K, 79

Index of Subjects, Volume 11

Authors' names follow each subject entry. Departments from which the subjects were indexed are abbreviated as follows: CC = Case Conference, CR = Case Report, DD = Doctor's Docket, ED = Editorial, LE = Letter to the Editor, OC = Original Contribution, RA = Review Article, and SA = Special Article.

A

Acromioplasty
- intrabursal oxycodone and bupivacaine for analgesia after (OC) [Muittari, Nelimarkka, Seppala, Kanto, Kirvela], 11

Acute Pain Service
- effectiveness of, in general hospital (OC) [Bardiau, Braeckman, Seidel, Albert, Boogaerts], 583

Adhesive tape
- reaction to, in systemic amyloidosis (CR) [Campos], 126

Adolescents
- cervical plexus block vs. general anesthesia for difficult airway (CR) [Tobias], 606

Adrenal insufficiency
- postoperative hypotension and (CC) [Bennett, Gabrielli, Chernow], 425

Age
- **dose-response of atracurium**
  - influence of gender and (OC) [Xue, Zhang, Liao, Liu, An], 397

Airway
- **cuffed oropharyngeal airway (COPA)**
  - comparison of, with laryngeal mask airway
    - in manually controlled positive pressure ventilation (OC) [Heringlake, Doerges, Ocker, Schmucker], 590
  - insertion of, with propofol or sevoflurane (OC) [Goto, Nakata, Uezono, Niimi, Uchiyama, Morita], 280
- **difficult**
  - cervical plexus block as alternative to general anesthesia in adolescents (CR) [Tobias], 606
  - laryngeal mask airway, extended use of (48 hrs)
    - in patient requiring continuous positive airway pressure (CR) [Liu, Jahr, Thornton, Allen], 490
  - Ludwig's angina (difficult airway)
    - remifentanil for conscious sedation in: case report with pharmacokinetic simulations (CR) [Reusche, Egan], 64
- **laryngeal mask airway (LMA)**
  - comparison of, with cuffed oropharyngeal airway (COPA)
    - in manually controlled positive pressure ventilation (OC) [Heringlake, Doerges, Ocker, Schmucker], 590
  - extended use of (48 hrs), in difficult airway patient needing continuous positive airway pressure (CR) [Liu, Jahr, Thornton, Allen], 490

Alarms
- **pulse oximeter**
  - advanced signal processing technology of; effect on alarm frequency in the operating room (OC) [Rheineck-Leyssius, Kalkman], 192
  - effect on frequency of alarms in the postanesthesia care unit (OC) [Rheineck-Leyssius, Kalkman], 196

Alternative medicine
- effects of, on elective surgery patients (ED) [Roizen], 617

Ambulatory surgery
- **electronic mail**
  - for postoperative follow-up (CR) [Ellis, Klock, Mingay, Roizen], 136
- **fast-tracking of patients**
  - criteria for (LE) [White], 78
  - recovery profile
    - in office-based anesthesia; effect of nitrous oxide (OC) [Tang, Chen, White, Wender, Naruse, Kariger, Sloninsky], 226
- **pediatric**
  - pain relief for, postoperatively (OC) [Munro, Malviya, Lauder, Vopel-Lewis, Tait], 187
- **pretreatment for**
  - cisatracurium, rocuronium, and d-tubocuraine
    - effects of, on succinylcholine-induced fasciculations and myalgia (OC) [Joshi, Hailey, Cross, Thompson-Bell, Whitten], 641
- **remifentanil**
  - adjuvant during desflurane, and early recovery from (OC [Song, White], 364

Amyloidosis
- **laryngeal**
  - anesthetic management of (CR) [Noguchi, Minami, Iwagaki, Takara, Sata, Shigematsu], 339
- **systemic**
  - reaction to adhesive tape after tracheal extubation (CR) [Campos], 126

Analgesia
- **cancer pain, terminal**
  - morphine analgesia improved by epidural ketamine or neostigmine, but not midazolam (OC), 663
- **patient-controlled analgesia** (PCA)
  - intrabursal oxycodone and bupivacaine after shoulder surgery (OC) [Muittari, Nelimarkka, Seppala, Kanto, Kirvela], 11
  - total hip arthroplasty and
    - intravenous PCA with morphine, patient-controlled epidural analgesia, or continuous "3-in-1" block; prospective evaluation in an acute pain service (OC) [Singelyn, Gouverneur], 550
  - "3-in-1" block, continuous
    - total hip arthroplasty and intravenous PCA with morphine, patient-controlled epidural analgesia, or; prospective evaluation in an acute pain service (OC) [Singelyn, Gouverneur], 550

Anesthesia
- **alkalinization of local**
  - in circumcision; fails to decrease injection pain (OC) [Scrour, Levine, Mandelberg, Ben Yehuda, Boaz, Mori], 563
- **breathing circuits**
  - ethics of cost containment issues with (ED) [Hess], 531
  - high-quality filtration allows reuse of (OC) [Daggan, Zefeiridis, Steinberg, Larijani, Gratz, Goldberg], 536
- **depth of**
  - isoflurane, nitrous oxide, and fentanyl pharmacodynamic, in surgical patients as measured by effects on median power frequency

Journal of Clinical Anesthesia 11:688–702, 1999

© 2000 Elsevier Science Inc. All rights reserved.

655 Avenue of the Americas, New York, NY 10010

0952-8180/00/$–see front matter
PII S0952-8180(99)00135-X

(OC) [Ropcke, Lier, Hoeft, Schwilden], 555
drug interactions
isoflurane, nitrous oxide, and fentanyl pharmacodynamic, in surgical patients as measured by effects on median power frequency (OC) [Ropcke, Lier, Hoeft, Schwilden], 555
epidural blood patch
avoiding, in late postpartum eclampsia (LE) [Pivalizza, Harvey], 615
ethics in
from economics to; and values-based (ED) [Johnstone], 1
induction, vital capacity rapid inhalation
and sevoflurane; hemodynamic response to tracheal intubation with (OC) [Munoz, Gonzalez, Concha, Palma], 567
local
cervical plexus block as alternative to general anesthesia in adolescents (CR) [Tobias], 606
"failed back surgery syndrome"
effect of repeated epidural sympathetic nerve block on (OC) [Fredman, Zohar, Ben Nun, Iraqi, Jedeikin, Gepstein], 46
in laparotomy
complications with subdural cannulation and local anesthetic injection (CR) [Orbegozo, Sheikh, Slogoff], 129
low-flow
sevoflurane vs. isoflurane; effect on renal function (OC) [Groudine, Fragen, Kharasch, Eisenman, Frink, McConnell, Sevoflurane Low-Flow Study Group], 201
office-based
effect of dissociative dose of ketamine on bispectral index during propofol (OC) [Friedberg], 4
propofol for
effect of nitrous oxide on recovery profile (OC) [Tang, Chen, White, Wender, Naruse, Kariger, Sloninsky], 226
outpatient
electronic mail
postoperative follow-up and (CR) [Ellis, Klock, Mingay, Roizen], 136
fast-tracking criteria for ambulatory surgery patients (LE) [White], 78
pediatric
pain relief for, postoperatively (OC) [Munro, Malviya, Lauder, Voepel-Lewis, Tait], 187
recovery profile
in office-based anesthesia; effect of nitrous oxide (OC) [Tang, Chen, White, Wender, Naruse, Kariger, Sloninsky], 226
remifentanil
adjuvant during desflurane, and early recovery from (OC) [Song, White], 364
peribulbar
diplopia after cataract surgery with 4% lidocaine in absence of sodium hyaluronidase (LE) [Troll, Borodic], 615
regional
diplopia after cataract surgery with 4% lidocaine in absence of sodium hyaluronidase (LE) [Troll, Borodic], 615
ocular anesthesia training program for: successes and failures (OC) [Kleinman, Perlman, Anderson, Frey, Stevens, Belusko], 301
retrobulbar block
ocular anesthesia training program for: successes and failures (OC) [Kleinman, Perlman, Anderson, Frey, Stevens, Belusko], 301
spinal
meningitis, iatrogenic bacterial
in labor (LE) [Lurie, Feinstein, Heifetz, Mamet], 438
propofol or midazolam
changes in respiratory pattern and arterial blood gases during (OC) [Yamakage, Kamada, Toriyabe, Honma, Namiki], 375
subcutaneous lidocaine mistaken for cerebrospinal fluid (LE) [Greilich, Meng, Gajraj], 140
Anesthesiologists
age of
effect on practice: regional perspective (OC) [Travis, Mihevc, Orkin, Zeitlin], 175
American Society of Anesthesiologists, members of
extubation practices of, in adult patients
who, what, when, where, how, and why? (ED) [Kempen], 441
survey of, in adult surgical patients who are deeply anesthetized (OC) [Daley, Norman, Coveler], 445
board certification of
oral practice examination program for
organization of; planning, structure, startup, administration, growth, and evaluation (OC) [Schubert, Tetzlaff, Licina, Mascha, Smith], 504
consultant report of
disseminating information with; impact on patient perceptions of quality of care (OC) [Fleisher, Mark, Lam, Pearlman, Fisher, Snyder, Michelson, Parker], 380
continuing medical education of (SA) [Tetzlaff, Schoenwald, Jackman, Smith], 164
cost containment and
perspectives on ethics of (SA) [Vogel, Manecke, Jr, Poppers], 73
efficiency and
is superspecialization the answer? (ED) [Coté], 534
medical malpractice
case scenarios in an anesthesiology department (OC) [Liang], 267
reform of; the long view (ED) [Brennan], 265
operating room efficiency and
reliance on historical surgical times only fails to estimate accurately future surgical times and is unlikely to reduce average duration of late cases (OC) [Zhou, Dexter, Macario, Lubarsky], 601
oral practice examination program
organization of; planning, structure, startup, administration, growth, and evaluation (OC) [Schubert, Tetzlaff, Licina, Mascha, Smith], 504
pediatric surgery center and
increased anesthetic efficiency of (OC) [Kain, Fasulo, Rimar], 540
regional ocular anesthesia training program for
successes and failures (OC) [Kleinman, Perlman, Anderson, Frey, Stevens, Belusko], 301
residency training
evaluation practices for (ED) [Schubert], 502
recruitment into; factors responsible for selection of anesthesiology as career choice (OC) [Wass, Rose, Faust, Offord, Harris], 150
regional ocular program for
successes and failures of collaborative (OC) [Kleinman, Perlman, Anderson, Frey, Stevens, Belusko], 301
survey of 124 U.S. programs
evaluation, feedback, and remediation in (OC) [Rosenblatt, Schartel], 519
stress and
effect of age on practice; regional perspective (OC) [Travis, Mihevc, Orkin, Zeitlin], 175
Anesthesiology department
consultant report of

disseminating information with; impact on patient perceptions of quality of care (OC) [Fleisher, Mark, Lam, Pearlman, Fisher, Snyder, Michelson, Parker], 380

malpractice case scenarios in
clinical assessment of (OC) [Liang], 267

Angiography
in pediatrics; pulse oximetry during and after (LE) [Okuda, Urabe, Kitajima], 353

Anticoagulation, heparin-induced
protamine sulfate for
complications with, during coronary artery bypass graft (CC) [Urdaneta, Lobato, Kirby, Horrow], 675

Antidepressants
effects of, on elective surgery patients (ED) [Roizen], 617
self-reporting of usage by elective surgery patients (OC) [Scher, Anwar], 619

Antiemetics
butorphanol
in anorectal surgery
vs. droperidol, to augment epidural fentanyl analgesia in (OC) [Kotake, Matsumoto, Ai, Morisaki, Takeda], (8)

dolasetron
reduced resource utilization
effect of, in emesis treatment (OC) [Kovac, Mingus, Sung, Neary, and MCPR44 Study Group], 235

droperidol
granisetron combination with (OC) [Fujii, Saitoh, Tanaka, Toyooka], 108
gynecological surgery
two-dose regimen of ondansetron and (OC) [Warrick, Belo], 119
middle ear surgery
granisetron combined with, in preventing emesis (OC) [Fujii, Saitoh, Tanaka, Toyooka], 108

granisetron
droperidol combined with, in preventing emesis (OC) [Fujii, Saitoh, Tanaka, Toyooka], 108

isopropyl alcohol vapor
in pediatrics (OC) [Wang, Hofstadter, Kain], 231

ondansetron
mathematical assessment of, in postoperative emesis control (OC) [Figuredo, Canosa], 24
promethazine combined with, or promethazine alone, in middle ear surgery (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596
"rebound" emesis in gynecological surgery; two-dose regimen of droperidol and (OC) [Warrick, Belo], 119
repeat intravenous dosing of, in postoperative nausea and vomiting
randomized, double-blind, placebo-controlled multicenter trial (OC) [Kovac, O'Connor, Pearman, Kekoler, Edmondson, Baughman, Angel, Campbell, Jense, Mingus, Shahvari, Creed], 453

prescribing practice behavior for
effect of individualized outcome feedback on voluntary changes (OC) [Overdyk, Harvey, Baldwin, Rust, Multani, Marcell], 17

promethazine
ondansetron combined with, or alone, in middle ear surgery (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596

Arterial blood gases
respiratory pattern and
changes in, during propofol or midazolam spinal anesthesia (OC) [Yamakage, Kamada, Toriyabe, Honma, Namiki], 375

Arthroplasty
total hip
acute normovolemic hemodilution in
effects on tissue oxygenation and allogeneic blood transfusion need in (OC) [Karakaya, Ustun, Tur, Baris, Sarihasan, Sahinoglu, Guldogus], 368
sympathetic blockade; effect of, on efficiency of forced-air warming in (OC) [Casati, Baroncini, Pattono, Fanelli, Bonarelli, Musto, Berti, Torri], 360
thrombus formation
timing of, and course of molecular hemostatic markers during and after different surgical procedures (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622

Atracurium
dose response and
influence of age and gender on (OC) [Xue, Zhang, Liao, Liu, An], 397
for elective eye surgery
rapid sequence induction and intubation in comparison of rocuronium, succinylcholine and (OC) [Vinik], 95

Atrial natriuretic peptide
and orthopedic surgery
renin-aldosterone system and, in patients over 80 years of age (OC) [Kudoh, Ishihara, Matsuki], 101

B

Back pain
"failed back surgery" syndrome
effect of repeated epidural sympathetic nerve block on (OC) [Fredman, Zohar, Ben Nun, Iraqi, Jedeikin, Gepstein], 46

Balloon pump, intraaortic
high-risk cardiac patients and
for noncardiac surgery (CR) [Masaki, Takinami, Kurata, Kagaya, Ahmed], 342

Benzodiazepines
effects of, on elective surgery patients (ED) [Roizen], 617
self-reporting of usage by elective surgery patients (OC) [Scher, Anwar], 619

Bicarbonate
alkalinization of local anesthesia
in circumcision (OC) [Serour, Levine, Mandelberg, Ben Yehuda, Boaz, Mori], 563

Bispectral index
ketamine and propofol
effect of, during (OC) [Friedberg], 4

Bladder tumor resection
spinal vs. general anesthesia in
effect of, on bladder compliance and intraabdominal pressure during transurethral procedures (OC) [Olsfanger, Zohar, Fredman, Richter, Jedeikin], 328

Blast injury
hemodynamic monitoring in (CR) [Weiss, Oppenheim-Eden, Gilon, Sprung, Muggia-Sullam, Pizov], 132

Blood
coagulation
lidocaine and bupivacaine, differential effects of, on whole (OC) [Tobias, Henry, Augostides], 52

normovolemic hemodilution, acute
effects on tissue oxygenation and allogeneic blood transfusion need in total hip arthroplasty (OC) [Karakaya, Ustun, Tur, Baris, Sarihasan, Sahinoglu, Guldogus], 368

patch, epidural
differential effects of lidocaine and bupivacaine on (OC) [Tobias, Henry, Augostides], 52

thrombus formation
timing of, and course of molecular hemostatic markers during and after different surgical procedures (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622

Blood pressure
systolic, variation

hemodynamic monitoring of, after severe blast injury (CR) [Weiss, Oppenheim-Eden, Gilon, Sprung, Muggia-Sullam, Pizov], 132
relationship between left ventricular preload and (LE) [Takenaka, Aoyama, Kadoya], 141 (Reply [Ornstein], 142)

Breathing circuits
ethics of cost containment issues in (ED) [Hess], 531
high-quality filtration allows reuse of (OC) [Daggan, Zefeiridis, Steinberg, Larijani, Gratz, Goldberg], 536

Breathing pattern
propofol or midazolam
changes in, during spinal anesthesia (OC) [Yamakage, Kamada, Toriyabe, Honma, Namiki], 375
tramadol and meperidine
effects of, on respiration, plasma catecholamine concentrations, and hemodynamics (OC) [Mildh, Leino, Kirvela], 319

Bupivacaine
coagulation and
differential effects of lidocaine and, on whole blood (OC) [Tobias, Henry, Augostides], 52
intrabursal
comparison of oxycodone with, after acromioplasty (OC) [Muittari, Nelimarkka, Seppala, Kanto, Kirvela], 11

C

Cancer pain, terminal
morphine analgesia improved by epidural ketamine or neostigmine, but not midazolam (OC), 663

Cannulation
subdural
complications with local anesthetic injection and, in laparotomy for ovarian cancer (CR) [Orbegozo, Sheikh, Slogoff], 129

Carbon dioxide reactivity
cerebrovascular
and deliberate hypotension during propofol-fentanyl anesthesia and (OC) [Endoh, Honda, Komura, Shibue, Watanabe, Shimoji], 545

Cardiac patients, high-risk
balloon pump, intraaortic and
for noncardiac surgery (CR) [Masaki, Takinami, Kurata, Kagaya, Ahmed], 342

Cataract surgery
diplopia after
lidocaine 4% increases, vs. sodium hyaluronidase (LE) [Troll, Borodic], 615

Catheter, epidural
"walking"
movement of skin of the back as cause of (LE) [Iwama, Katayama], 140

Catheterization
central venous
guidewire entrapment by inferior vena caval filter technique
technique for removal (CR) [Goldberg, Principato, Diamond, Gratz, Travis], 609
high incidence of intravenous thrombi after short-term catheterization of the internal jugular vein (OC) [Wu, Studer, Skarvan, Seeberger], 482
jet injection
painless intravenous; randomized trial with lidocaine (OC) [Zsigmond, Darby, Koenig, Goll], 87

Cerebral blood flow
velocity of, during repeatedly induced ventricular fibrillation (OC) [Gopalan, Lee, Ikeda, Burch], 290

Cerebral palsy
cesarean section
propofol general anesthesia for (CR) [Kariya, Toyoyama, Furuichi, Kubota, Toyoda], 672

Cerebrospinal fluid
subcutaneous lidocaine mistaken for (LE) [Greilich, Meng, Gajraj], 140

Cervical injury
malpractice issue
intubation efforts in emergency circumstance (DD) [Liang, Cheng, Tempelhoff], 349

Cervical plexus block
as alternative to general anesthesia in adolescents (CR) [Tobias], 606

Cesarean section
cerebral palsy and
propofol general anesthesia for (CR) [Kariya, Toyoyama, Furuichi, Kubota, Toyoda], 672
dysphagia in
intrathecal local anesthetic-opioid administration (CR) [Musch, Liposky], 413
meralgia paresthetica
complication of analgesia after (CR) [Schnatz, Wax, Steinfeld, Ingardia], 416
newborn resuscitation and
malpractice issues; anesthesia responsibility after (DD) [Liang, Gaiser], 69

Children's hospital
pediatric surgery center
increased anesthetic efficiency of (OC) [Kain, Fasulo, Rimar], 540

Cholecystectomy, laparascopic
acute renal failure following (CR) [Ben-David, Croitoru, Gaitini], 486

Circumcision
penile nerve block and alkalinization of local anesthesia (OC) [Serour, Levine, Mandelberg, Ben Yehuda, Boaz, Mori], 563

Cisatracurium
duration and recovery profile of
during propofol or isoflurane anesthesia, and after succinylcholine (OC) [Soppitt, Gan, El-Moalem, Ginsberg, Weatherwax, Glass], 652
priming technique and
influence of, on pharmacodynamics and intubating conditions of (OC) [Deepika, Kenaan, Bikhazi, Martineau], 572
vs. rocuronium
comparison of onset and clinical duration of high doses of (OC) [Lighthall, Jamieson, Katolik, Brock-Utne], 220
succinylcholine-induced fasciculations and myalgia
pretreatment with; comparison with rocuronium and d-tubocurarine, in outpatient surgery (OC) [Joshi, Hailey, Cross, Thompson-Bell, Whitten], (8)

Clonidine
oral
vs. intravenous esmolol, in attenuating hemodynamic response to intranasal epinephrine injection (OC) [Campagni, Howie, White, McSweeney], 208

Closed-circuit anesthetic technique
Xenon in
cost analysis of
comparison with nitrous oxide-isoflurane and nitrous oxide-sevoflurane (OC) [Nakata, Goto, Niimi, Morita], 477
suppressor of hypnotic arousal in surgical stimulation; response to (OC) [Nakata, Goto, Ishiguro, Terui, Niimi, Morita], 305

Coagulation
thrombus formation
timing of, and course of molecular hemostatic markers during and after different surgical procedures (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622

Cocaine
myocardial inschemia, prolonged perioperative
topical intranasal administration possible cause of (CR) [Laffey, Neligan, Ormonde], 419

Cognitive recovery
geriatric
influence of thiopental and propofol on, after general anesthesia (OC) [Fredman, Noga, Zohar, Yaretzky, Jedeikin], 635
Colon
hemicolectomy
thrombus formation during
timing of; course of molecular markers during and after (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622
Continuing medical education
and the anesthesiologist (SA) [Tetzlaff, Schoenwald, Jackman, Smith], 164
Coronary artery disease
balloon pump, intraaortic and
for high-risk patients undergoing noncardiac surgery (CR) [Masaki, Takinami, Kurata, Kagaya, Ahmed], 342
bypass graft
protamine administration and
noncardiogenic pulmonary edema associated with (CC) [Urdaneta, Lobato, Kirby, Horrow], 675
Cost containment
breathing circuits
high-quality filtration allows reuse of (OC) [Daggan, Zefeiridis, Steinberg, Larijani, Gratz, Goldberg], 536
ethics of
anesthesiologist's perspective (SA) [Vogel, Manecke, Jr., Poppers], 73
from economics to ethics: values-based anesthesia (ED) [Johnstone], 1
followup after outpatient surgery
electronic mail for (CR) [Ellis, Klock, Mingay, Roizen], 136
in emesis treatment
dolasetron; effect on reducing resource utilization (OC) [Kovac, Mingus, Sung, Neary, MCPR44 Study Group], 234
Cuffed oropharyngeal airway (COPA)
comparison of, with laryngeal mask airway
in manually controlled positive pressure ventilation (OC) [Heringlake, Doerges, Ocker, Schmucker], 590
insertion of, with propofol or sevoflurane (OC) [Goto, Nakata, Uezono, Niimi, Uchiyama, Morita], 280

D

Defibrillator
intraoperative use of automated external (CR) [Jones, Fahy], 336
Desflurane
ambulatory surgery and
remifentanil as adjuvant during, and early recovery from (OC) [Song, White], 364
urologic surgery, in
recovery and pharmacokinetic parameters of sevoflurane, isoflurane, and (OC) [Behne, Wilke, Lischke], 460
Dexmedetomidine
effect of, on minimum alveolar concentration of sevoflurane in adults aged 55 to 70 years (OC) [Fragen, Fitzgerald], 466
Diabetes
in cardiac disease
diabetic silent hearts and anesthesia (LE) [Maleck, Koetter], 439 (Reply [Mangano], 440; Reply [Liang], 440)
pancreatectomy, total
islet cell autotransplantation and; anesthetic implications (OC) [Manciu, Tran, Gruessner, Sutherland, Belani, Beebe], 576
Diplopia
in cataract surgery
lidocaine 4% causes greater incidence than does sodium hyaluronidase (LE) [Troll, Borodic], 615
Dolasetron
reduced resource utilization
effect of, in emesis treatment (OC) [Kovac, Mingus, Sung, Neary, and MCPR44 Study Group], 235
Droperidol
gynecological surgery
two-dose regimen of ondansetron and (OC) [Warrick, Belo], 119
middle ear surgery, in
combination of granisetron and, in preventing emesis (OC) [Fujii, Saitoh, Tanaka, Toyooka], 108
Drugs, mood-altering
effects of, on elective surgery patients (ED) [Roizen], 617
self-reporting of usage by elective surgery patients (OC) [Scher, Anwar], 619
Dysphagia
in cesarean section
intrathecal local anesthetic-opioid administration (CR) [Musch, Liposky], 413

E

Ear, middle, surgery
antiemetics for
combination of granisetron and droperidol for (OC) [Fujii, Saitoh, Tanaka, Toyooka], 108
ondansetron-promethazine or promethazine alone for (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596
Echocardiography, transesophageal
in high-frequency jet ventilation
assessment of right heart hemodynamics with (OC) [Ihra, Kolev, Zakel, Kepka, Schabernig, Aloy], 32
Eclampsia, postpartum, late
avoidance of epidural blood patch in (LE) [Pivalizza, Harvey], 615
Edema, pulmonary
in coronary artery bypass graft
protamine administration associated with (CC) [Urdaneta, Lobato, Kirby, Horrow], 675
Electronic mail
for postoperative follow-up after ambulatory surgery (CR) [Ellis, Klock, Mingay, Roizen], 136
Emesis
control of; cost-effective choices
ondansetron-promethazine, or promethazine alone, in middle ear surgery (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596
dolasetron
reduced resource utilization with, in treatment for (OC) [Kovac, Mingus, Sung, Neary, and MCPR44 Study Group], 235
gynecological surgery
two-dose regimen of droperidol and ondansetron for (OC) [Warrick, Belo], 119
isopropyl alcohol vapor
antiemetic effect of, in pediatrics (OC) [Wang, Hofstadter, Kain], 231
middle ear surgery
combination of granisetron and droperidol in preventing (OC) [Fujii, Saitoh, Tanaka, Toyooka], 108
ondansetron-promethazine, or promethazine alone, for (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596
ondansetron
repeat intravenous dosing of, in postoperative nausea and vomiting
randomized, double-blind, placebo-controlled multicenter trial (OC) [Kovac, O'Connor, Pearman, Kekoler, Edmondson, Baughman, Angel, Campbell, Jense, Mingus, Shahvari, Creed], 453
two-dose regimen of droperidol and, for "rebound" emesis in gyne-

cological surgery (OC) [Warrick, Belo], 119
prescribing practice behavior for
effect of individualized outcome feedback on voluntary changes (OC) [Overdyk, Harvey, Baldwin, Rust, Multani, Marcell], 17
Endocrinological disorders
adrenal insufficiency
hypotension and (CC) [Bennett, Gabrielli, Chernow], 425
in pediatrics
Russell-Silver syndrome; severe hypoglycemia from general anesthesia (LE) [Tomiyama, Ibuki, Nakajima, Tanaka], 80
pheochromocytoma
difficult anesthesia management in surgery for (CR) [Shupak], 247
Epidural blood patch
avoidance of, in late postpartum eclampsia (LE) [Pivalizza, Harvey], 615
Equipment and supplies
adhesive tape
reaction to, in systemic amyloidosis (CR) [Campos], 126
airway, cuffed oropharyngeal (COPA)
comparison of, with laryngeal mask airway
in manually controlled positive pressure ventilation (OC) [Heringlake, Doerges, Ocker, Schmucker], 615
insertion of, with propofol or sevoflurane (OC) [Goto, Nakata, Uezono, Niimi, Uchiyama, Morita], 280
balloon pump, intraaortic and
for high-risk patients undergoing noncardiac surgery (CR) [Masaki, Takinami, Kurata, Kagaya, Ahmed], 342
breathing circuits
ethics of cost containment issues of (ED) [Hess], 531
high-quality filtration allows reuse of (OC) [Daggan, Zefeiridis, Steinberg, Larijani, Gratz, Goldberg], 536
catheter, epidural
"walking"; movement of skin of the back as cause of (LE) [Iwama, Katayama], 140
defibrillator
intraoperative use of automated external (CR) [Jones, Fahy], 336
endobronchial tube, double-lumen
for selective one-lung ventilation in pediatrics (LE) [Fitzmaurice, Zuckerman, Brodsky, Hammer], 79
filters, breathing circuit
reuse of results in cost savings and medical waste savings (OC) [Daggan, Zefeiridis, Steinberg, Larijani, Gratz, Goldberg], 536
flow transducer
respiratory flow measurements and anesthetics
in-vitro observations of (OC) [Filmyer, Sardar, Weissman], 355
guidewire
entrapment of, by inferior vena caval filter; technique for removal (CR) [Goldberg, Principato, Diamond, Gratz, Travis], 609
inferior vena cava filter (Vera-Tech)
entrapment of guidewire by; technique for removal (CR) [Goldberg, Principato, Diamond, Gratz, Travis], 609
laryngeal mask airway
awake orotracheal intubation, for
effect of, in patients with cervical spine disorders (CR) [Wong, Tongier, Armbruster, White], 346
comparison of, with cuffed oropharyngeal airway
in manually controlled positive pressure ventilation (OC) [Heringlake, Doerges, Ocker, Schmucker], 590
extended use of (48 hrs), in difficult airway patient needing continuous positive airway pressure (CR) [Liu, Jahr, Thornton, Allen], 490
gastroesophageal reflux
incidence of, and regurgitation associated with timing of removal of LMA (OC) [Cheong, Park, Son, Lee, Song, Yoon, Kim], 657
rejections signs of
and gastroesophageal reflux incidence of, and regurgitation associated with timing of removal of LMA (OC) [Cheong, Park, Son, Lee, Song, Yoon, Kim], 657
lightwand
intraocular pressure and,
effect of, associated with tracheal intubation (OC) [Casati, Aldegheri, Fanelli, Gioia, Colnaghi, Magistris, Torri], 216
Trachlight™
optimal length and angle of new device for (OC) [Nishiyama, Matsukawa, Hanaoka], 332
pacemaker
interaction of implanted pacemaker with transesophageal atrial pacemaker (CR) [Mychaskiw, Eichhorn], 669
pneumotachograph
respiratory flow measurements and anesthetics
in-vitro observations of (OC) [Filmyer, Sardar, Weissman], 355
pulse oximeter
in pediatrics
effect of peripheral perfusion on accuracy of pulse oximetry (OC) [Villanueva, Bell, Kain, Colingo], 317
probe
design of; effect of accuracy and reliability in pediatrics (OC) [Bell, Luther, Nicholson, Fox, Hirsh], 323
placement of; and hypoxemia detection (OC) [Hamber, Bailey, James, Wells, Lu, Pace], 113
signal processing technology of
comparison with simple averaging: effect on frequency of alarms in the operating room (OC) [Rheineck-Leyssius, Kalkman], 192
comparison with simple averaging: effect on frequency of alarms in the postanesthesia care unit (OC) [Rheineck-Leyssius, Kalkman], 196
Trachlight™
optimal length and angle of new device for (OC) [Nishiyama, Matsukawa, Hanaoka], 332
UpsherScope™ fiberoptic laryngoscopy
gum elastic bougie improves utility of (OC) [Yeo, Chung, Hin], 471
warming devices
forced-air
sympathetic blockade; effect of on efficiency of forced-air warming in total hip arthroplasty (OC) [Casati, Baroncini, Pattono, Fanelli, Bonarelli, Musto, Berti, Torri], 360
Esmolol
intravenous
vs. oral clonidine, in attenuating hemodynamic response to intranasal epinephrine injection (OC) [Campagni, Howie, White, McSweeney], 208
Ethics
cost containment and
anesthesiologist's perspective of (SA) [Vogel, Manecke, Jr, Poppers], 73
economics and
values based anesthesia (ED) [Johnstone], 1
malpractice issues
case scenarios; clinical assessment of, in an anesthesiology department (OC) [Liang], 267
cervical injury
intubation efforts in emergency circumstance (DD) [Liang,

Cheng, Tempelhoff], 349
medical malpractice reform; the long view (ED) [Brennan], 265
newborn resuscitation and anesthesia responsibility after cesarean section (DD) [Liang, Gaiser], 69
perioperative medicine
new directions in (LE) [Tetzlaff, Maurer, Parker, Litaker], 143 (Replies [Mangano, Liang], 142)
preoperative pregnancy testing
medico-legal conundrum in children (OC) [Wheeler, Coté], 56
Extubation
in adult patients
who, what, when, where, how, and why? (ED) [Kempen], 441
survey of, in adult surgical patients who are deeply anesthetized (OC) [Daley, Norman, Coveler], 445
Eye surgery
diplopia in cataract surgery
lidocaine 4% causes greater incidence than does sodium hyaluronidase (LE) [Troll, Borodic], 615
regional anesthesia training program for
successes and failures (OC) [Kleinman, Perlman, Anderson, Frey, Stevens, Belusko], 301
rocuronium, atracurium, or succinylcholine
comparison of, for rapid sequence induction and intubation in elective (OC) [Vinik], 95

F
Fasciculations
succinylcholine-induced
pretreatment with cisatracurium, rocuronium, and d-tubocurarine; comparison with placebo, in ambulatory surgery (OC) [Joshi, Hailey, Cross, Thompson-Bell, Whitten], 641
Fentanyl
pharmacodynamic interactions and
nitrous oxide, isoflurane, and; as measured by median power frequency in surgical patients (OC) [Ropcke, Lier, Hoeft, Schwilden], 555
propofol, and
effect of induced hypotension on cerebrovascular carbon dioxide reactivity during anesthesia with (OC) [Endoh, Honda, Komura, Shibue, Watanabe, Shimoji], 545
Fibrillation, ventricular
balloon pump, intraaortic and
for high-risk patients undergoing noncardiac surgery (CR) [Masaki, Takinami, Kurata, Kagaya, Ahmed], 342
cerebral blood flow and
velocity of, during repeatedly induced (OC) [Gopalan, Lee, Ikeda, Burch], 290
defibrillator
intraoperative use of automated external (CR) [Jones, Fahy], 336
Fibrinolytic markers
thrombus formation, timing of
course of molecular hemostatic markers during and after different surgical procedures (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622
Flow transducer
respiratory flow measurements and anesthetics
in-vitro observations of (OC) [Filmyer, Sardar, Weissman], 355
Fluid volume absorption
end-tidal alcohol monitoring in renal pelvic surgery (OC) [Konrad, Gerber, Schupfer, Jenzer, Schmucki], 386

G
Gastroesophageal reflux
and laryngeal mask airway
incidence of, and regurgitation associated with timing of removal of LMA (OC) [Cheong, Park, Son, Lee, Song, Yoon, Kim], 657
Gender
dose-response of atracurium
influence of age and (OC) [Xue, Zhang, Liao, Liu, An], 397
Geriatrics
cognitive recovery, in
influence of thiopental and propofol on, during general anesthesia (OC) [Fredman, Noga, Zohar, Yaretzky, Jedeikin], 635
dexmedetomidine and
effect of, on minimum alveolar concentration of sevoflurane in adults aged 55 to 70 years (OC) [Fragen, Fitzgerald], 466
orthopedic surgery in
renin-aldosterone system and atrial natriuretic peptide during anesthesia in patients over 80 years of age (OC) [Kudoh, Ishihara, Matsuki], 101
sevoflurane and
effect of dexmedetomidine on minimum alveolar concentration of, in adults aged 55 to 70 years (OC) [Fragen, Fitzgerald], 466
Glucose administration, intraoperative
effect of, on circulating metabolites and nitrogen balance during prolonged surgery (OC) [Chambrier, Aouifi, Bon, Saudin, Paturel, Boulétreau], 646
Granisetron
middle ear surgery, in
combination of droperidol and, in preventing emesis (OC) [Fujii, Saitoh, Tanaka, Toyooka], 108
Guidewire
entrapment of, by inferior vena caval filter
technique for removal (CR) [Goldberg, Principato, Diamond, Gratz, Travis], 609
Gynecological surgery
abdominal wall lift vs. carbon dioxide insufflation
in laparoscopic resection of ovarian tumors (OC) [Ogihara, Isshiki, Kindscher, Goto], 406
laparotomy for ovarian cancer
complications with subdural cannulation and local anesthetic injection in (CR) [Orbegozo, Sheikh, Slogoff], 129
"rebound" emesis in
two-dose regimen of droperidol and ondansetron (OC) [Warrick, Belo], 119

H
Health care costs
from economics to ethics; values-based anesthesia (ED) [Johnstone], 1
Hecht syndrome (trismus pseudocamptodactyly)
in child (CR) [Seavello, Hammer], 254
Hemicolectomy
thrombus formation during
timing of; course of molecular markers during and after (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622
Hemodilution, normovolemic, acute
in total hip arthroplasty
effects on tissue oxygenation and allogeneic blood transfusion need in (OC) [Karakaya, Ustun, Tur, Baris, Sarihasan, Sahinoglu, Guldogus], 368
Hemodynamic monitoring
pulse wave velocity
anesthesia and surgical stimulation; fails to predict responses to (OC) [Nakata, Goto, Ishiguro, Terui, Niimi, Morita], 285
High-frequency jet ventilation
transesophageal echocardiographic assessment of right heart hemodynamics during (OC) [Ihra, Kolev, Zakel, Kepka, Schabernig, Aloy], 32
Hip replacement
normovolemic hemodilution, acute
effects on tissue oxygenation and allogeneic blood transfusion need in (OC) [Karakaya, Ustun, Tur, Baris, Sarihasan, Sahinoglu, Guldogus], 368

sympathetic blockade, in
effect of, on efficiency of forced-air warming in (OC) [Casati, Baroncini, Pattono, Fanelli, Bonarelli, Musto, Berti, Torri], 360
Hyaluronidase, sodium
in cataract surgery
diplopia incidence lower than when using lidocaine 4% (LE) [Troll, Borodic], 615
Hypotension, deliberate
effect of, on cerebrovascular carbon dioxide reactivity during propofol-fentanyl anesthesia (OC) [Endoh, Honda, Komura, Shibue, Watanabe, Shimoji], 545
Hypoventilation, congenital central alveolar, syndrome (Ondine's curse)
in pediatrics
anesthetic care for child with (CR) [Strauser, Helikson, Tobias], 431
Hypoxemia
detection of, delays
pulse oximeter probe placement and (OC) [Hamber, Bailey, James, Wells, Lu, Pace], 113
pulse oximeter
advanced signal processing technology of; effect on alarm frequency in the operating room (OC) [Rheineck-Leyssius, Kalkman], 192
effect on frequency of alarms in the postanesthesia care unit (OC) [Rheineck-Leyssius, Kalkman], 196

I
Infection control
anesthesia breathing circuits
ethics of cost containment issues of (ED) [Hess], 531
high-quality filtration allows reuse of (OC) [Daggan, Zefeiridis, Steinberg, Larijani, Gratz, Goldberg], 536
Inferior vena cava filter
guidewire entrapment by
technique for removal (CR) [Goldberg, Principato, Diamond, Gratz, Travis], 609
Injection pain of
propofol cause of
optimal concentration of lidocaine to reduce (OC) [Ho, Tsou, Sun, Chu, Lee], 296
Intraocular pressure changes
and elective eye surgery
rocuronium, atracurium, and succinylcholine for rapid sequence induction and intubation in (OC) [Vinik], 95
lightwand intubation
effect on, associated with tracheal intubation (OC) [Casati, Aldegheri, Fanelli, Gioia, Colnaghi, Magistris, Torri], 216
Intubation, tracheal
awake
orotracheal; laryngeal mask airway to facilitate
in cervical spine disorders (CR) [Wong, Tongier, Armbruster, White], 346
remifentanil for; case report with pharmacokinetic simulations (CR) [Reusche, Egan], 64
cervical injury and
in emergency circumstance; malpractice issue (DD) [Liang, Cheng, Tempelhoff], 349
cisatracurium and
influence of priming technique on pharmacodynamics and intubating conditions of (OC) [Deepika, Kenaan, Bikhazi, Martineau], 572
extubation
in adult patients
who, what, when, where, how, and why? (ED) [Kempen], 441
survey of, in adult surgical patients who are deeply anesthetized (OC) [Daley, Norman, Covcler], 445
laryngeal mask airway, extended use of (48 hrs)
in patient requiring continuous positive airway pressure (CR) Liu, Jahr, Thornton, Allen], 490
lightwand
effect of, on intraocular pressure increase associated with tracheal intubation (OC) [Casati, Aldegheri, Fanelli, Gioia, Colnaghi, Magistris, Torri], 216
Trachlight™
optimal length and angle of new device for (OC) [Nishiyama, Matsukawa, Hanaoka], 332
rapid inhalation induction, vital capacity
hemodynamic response with different sevoflurane concentrations (OC) [Munoz, Gonzalez, Concha, Palma], 567
UpsherScope™ fiberoptic laryngoscope
gum elastic bougie improves utility of (OC) [Yeo, Chung, Hin], 471
Islet cell autotransplantation
in total pancreatectomy
anesthetic implications of (OC) [Manciu, Tran, Gruessner, Sutherland, Belani, Beebe], 576
Isoflurane
cisatracurium and
duration and recovery profile of, after succinylcholine with propofol or (OC) [Soppitt, Gan, El-Moalem, Ginsberg, Weatherwax, Glass], 652
orthopedic surgery
renin-aldosterone system and atrial natriuretic peptide in patients over 80 years of age (OC) [Kudoh, Ishihara, Matsuki], 101
pharmacodynamic interactions and
nitrous oxide, fentanyl, and; as measured by median power frequency in surgical patients (OC) [Ropcke, Lier, Hoeft, Schwilden], 555
renal function
comparison of low-flow, with low-flow sevoflurane (OC) [Groudine, Fragen, Kharasch, Eisenman, Frink, McConnell, Sevoflurane Low-Flow Study Group], 201
urologic surgery, in
recovery and pharmacokinetic parameters of desflurane, sevoflurane, and (OC) [Behne, Wilke, Lischke], 460
Isopropyl alcohol vapor
antiemetic effect of, in pediatrics (OC) [Wang, Hofstadter, Kain], 231

J
Jet injection
catheterization
painless intravenous; randomized trial with lidocaine (OC) [Zsigmond, Darby, Koenig, Goll], 87
Jet ventilation, high-frequency
transesophageal echocardiographic assessment of right heart hemodynamics during (OC) [Ihra, Kolev, Zakel, Kepka, Schabernig, Aloy], 32
Journal of Clinical Anesthesia
Acknowledgment of Reviewers, Volume 11, (8)
Index of Authors, Volume 11, 685
Index of Subjects, Volume 11, 688
Journal of Education in Perioperative Medicine, official journal of the Society for Education in Anesthesia
affiliation with *Journal of Clinical Anesthesia,* (ED) [Cullen, Schubert], 85
inaugural section, 147
"virtual" electronic journal (ED) [Curry, Schubert], 148

K
Ketamine
cancer pain treatment with
morphine analgesia improved by low doses of epidural neostigmine or, but not midazolam (OC) [Lauretti, Gomes, Reis, Pereira], 663
dissociative dose of

effect of, on bispectral index during propofol hypnosis (OC) [Friedberg], 4

Kidney
low-flow sevoflurane vs. low-flow isoflurane
effect on renal function (OC) [Groudine, Fragen, Kharasch, Eisenman, Frink, McConnell, Sevoflurane Low-Flow Study Group], 201
renal failure
cholecystectomy, laparascopic; following (CR) [Ben-David, Croitoru, Gaitini], 486
postoperative acute, secondary to rhabdomyolysis from exaggerated lithotomy position (CC) [Gabrielli, Caruso, Weiner, Crabtree], 257

L
Laparoscopy
gynecological
"rebound" emesis in; two-dose regimen of droperidol and ondansetron (OC) [Warrick, Belo], 119
ovarian tumor resection
abdominal wall lift vs. carbon dioxide insufflation (OC) [Ogihara, Isshiki, Kindscher, Goto], 406
Laparotomy
for ovarian cancer
complications with subdural cannulation and local anesthetic injection (CR) [Orbegozo, Sheikh, Slogoff], 129
Laryngeal amyloidosis
anesthetic management of (CR) [Noguchi, Minami, Iwagaki, Takara, Sata, Shigematsu], 339
Laryngeal mask airway
awake orotracheal intubation, for
effect of, in patients with cervical spine disorders (CR) [Wong, Tongier, Armbruster, White], 346
comparison of, with cuffed oropharyngeal airway
in manually controlled positive pressure ventilation (OC) [Heringlake, Doerges, Ocker, Schmucker], 590
extended use of (48 hrs)
in patient requiring continuous positive airway pressure (CR) [Liu, Jahr, Thornton, Allen], 490
gastroesophageal reflux
incidence of, and regurgitation associated with timing of removal of LMA (OC) [Cheong, Park, Son, Lee, Song, Yoon, Kim], 657
rejections signs of
and gastroesophageal reflux
incidence of, and regurgitation associated with timing of removal of LMA (OC) [Cheong, Park, Son, Lee, Song, Yoon, Kim], 657
Laryngoscopy, fiberoptic
UpsherScope™
gum elastic bougie improves utility of (OC) [Yeo, Chung, Hin], 471
Lidocaine
coagulation
differential effects of bupivacaine and, on whole blood (OC) [Tobias, Henry, Augostides], 52
injection pain from propofol
optimal lidocaine concentration to reduce (OC) [Ho, Tsou, Sun, Chu, Lee], 296
jet injection with
painless intravenous; randomized trial with (OC) [Zsigmond, Darby, Koenig, Goll], 87
subcutaneous
mistaken for cerebrospinal fluid (LE) [Greilich, Meng, Gajraj], 140
trauma, severe
pharmacokinetics of morphine and, in nine patients (OC) [Berkenstadt, Mayan, Segal, Rotenberg, Almog, Perel, Ezra], 630
Lightwand intubation
intraocular pressure
effect on, associated with tracheal intubation (OC) [Casati, Aldegheri, Fanelli, Gioia, Colnaghi, Magistris, Torri], 216
Trachlight™
optimal length and angle of new device for (OC) [Nishiyama, Matsukawa, Hanaoka], 332
Ludwig's angina (difficult airway)
remifentanil for conscious sedation in awake fiberoptic intubation; case report with pharmacokinetic simulations (CR) [Reusche, Egan], 64

M
Malpractice issues
Bragdon v. Abbott (HIV patient v. dentist who refused office treatment of) (CC) [Liang, Robinson, Truog], 494
case scenarios in an anesthesiology department
clinical assessment of (OC) [Liang], 267
cervical injury and
intubation efforts in emergency circumstance (DD) [Liang, Cheng, Tempelhoff], 349
in pediatrics
newborn resuscitation and anesthesia responsibility after cesarean section (DD) [Liang, Gaiser], 69
perioperative medicine
new directions in (LE) [Tetzlaff, Maurer, Parker, Litaker], 143 (Replies [Mangano, Liang], 142)
preoperative pregnancy testing
medico-legal conundrum in children (OC) [Wheeler, Coté], 56
reform; the long view (ED) [Brennan], 265
Manpower
anesthesiologists
age of
effect on practice: regional perspective (OC) [Travis, Mihevc, Orkin, Zeitlin], 175
continuing medical education of (SA) [Tetzlaff, Schoenwald, Jackman, Smith], 164
cost containment and
perspectives on ethics of (SA) [Vogel, Manecke, Jr, Poppers], 73
operating room efficiency and
reliance on historical surgical times only fails to estimate accurately future surgical times and is unlikely to reduce average duration of late cases (OC) [Zhou, Dexter, Macario, Lubarsky], 601
pain service, acute
effectiveness of, in a general hospital (OC) [Bardiau, Braeckman, Seidel, Albert, Boogaerts], 583
pediatric surgery center and
increased anesthetic efficiency of (OC) [Kain, Fasulo, Rimar], 540
residency training programs
recruitment into; factors responsible for selection of anesthesiology as career choice (OC) [Wass, Rose, Faust, Offord, Harris], 150
stress and
effect of age on practice; regional perspective (OC) [Travis, Mihevc, Orkin, Zeitlin], 175
Mechanical ventilation
respiratory flow measurements and anesthetics
in-vitro observations of (OC) [Filmyer, Sardar, Weissman], 355
Median power frequency
effects on, and pharmacodynamic interactions in surgical patients (OC) [Ropcke, Lier, Hoeft, Schwilden], 555
Medical waste
anesthesia breathing circuits and
high-quality filtration allows reuse of (OC) [Daggan, Zefeiridis, Steinberg, Larijani, Gratz, Goldberg], 536

Medicine, alternative
effects of, on elective surgery patients (ED) [Roizen], 617
self-reporting of usage by elective surgery patients (OC) [Scher, Anwar], 619
Melatonin
effects of, on elective surgery patients (ED) [Roizen], 617
self-reporting of usage by elective surgery patients (OC) [Scher, Anwar], 619
Mendelson's syndrome
and oral intake policy in obstetrical patients (LE) [Doyle], 79
Meningitis, iatrogenic bacterial
in labor
spinal anesthesia and pain relief during (LE) [Lurie, Feinstein, Heifetz, Mamet], 438
Meperidine
tramadol and
effects of, on respiration, plasma catecholamine concentrations, and hemodynamics (OC) [Mildh, Leino, Kirvela], 319
Meralgia paresthetica
in cesarean section
complication of analgesia after (CR) [Schnatz, Wax, Steinfeld, Ingardia], 416
Meta-analysis
ondansetron, for postoperative emesis (OC) [Figuredo, Canosa], 24
Midazolam
in spinal anesthesia
propofol or; changes in respiratory pattern and arterial blood gases during (OC) [Yamakage, Kamada, Toriyabe, Honma, Namiki], 375
Middle ear surgery
emesis control in
ondansetron-promethazine or promethazine alone for (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596
Monto-Carlo simulation, computer
in evaluation of surgical times and estimation of duration of late cases (OC) [Zhou, Dexter, Macario, Lubarsky], 601
Morphine
in cancer pain, terminal
improvement by epidural ketamine or neostigmine, but not midazolam (OC) [Lauretti, Gomes, Reis, Pereira], 663
in severe trauma
pharmacokinetics of lidocaine and (OC) [Berkenstadt, Mayan, Segal, Rotenberg, Almog, Perel, Ezra], 630
Morquio syndrome (mucopolysaccharidoses)
in pediatrics; general vs. regional anesthesia (CR) [Tobias], 242
Mucopolysaccharidoses
Morquio syndrome, pediatric
general vs. regional anesthesia for (CR) [Tobias], 242
Myalgia
succinylcholine-induced
pretreatment with cisatracurium, rocuronium, and d-tubocurarine; comparison with placebo, in ambulatory surgery (OC) [Joshi, Hailey, Cross, Thompson-Bell, Whitten], 641
Myocardial inschemia, prolonged perioperative
cocaine, topical intranasal administration, as possible cause of (CR) [Laffey, Neligan, Ormonde], 419

N

Nausea and vomiting
reduced resource utilization with, in treatment for (OC) [Kovac, Mingus, Sung, Neary, and MCPR44 Study Group], 235
gynecological laparoscopy
"rebound" emesis in; two-dose regimen of droperidol and ondansetron for (OC) [Warrick, Belo], 119
isopropyl alcohol vapor
antiemetic effect of, in pediatrics (OC) [Wang, Hofstadter, Kain], 231
middle ear surgery
combination of granisetron and droperidol in preventing (OC) [Fujii, Saitoh, Tanaka, Toyooka], 108
ondansetron-promethazine, or promethazine alone, for (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596
ondansetron for
a mathematical assessment and meta-analysis of (OC) [Figuredo, Canosa], 24
repeat intravenous dosing of, in postoperative nausea and vomiting
randomized, double-blind, placebo-controlled multicenter trial (OC) [Kovac, O'Connor, Pearman, Kekoler, Edmondson, Baughman, Angel, Campbell, Jense, Mingus, Shahvari, Creed], 453
prescribing practice behavior for
effect of individualized outcome feedback on voluntary changes (OC) [Overdyk, Harvey, Baldwin, Rust, Multani, Marcell], 17
Needle injection pain
jet injection
painless intravenous; randomized trial with lidocaine (OC) [Zsigmond, Darby, Koenig, Goll], 87
propofol cause of
optimal lidocaine concentration to reduce (OC) [Ho, Tsou, Sun, Chu, Lee], 296
Needs assessment
continuing medical education and the anesthesiologist (SA) [Tetzlaff, Schoenwald, Jackman, Smith], 164
Neonatology
newborn resuscitation
malpractice issues in
anesthesia responsibility after cesarean section (DD) [Liang, Gaiser], 69
Neostigmine
for cancer pain
morphine analgesia improved by low doses of epidural ketamine or, but not midazolam (OC) [Lauretti, Gomes, Reis, Pereira], 663
Nephrotoxicity
low-flow sevoflurane vs. low-flow isoflurane
comparison of renal function after (OC) [Groudine, Fragen, Kharasch, Eisenman, Frink, McConnell, Sevoflurane Low-Flow Study Group], 201
Nicardipine
in deliberate hypotension
effect of, on cerebrovascular carbon dioxide reactivity during propofol-fentanyl anesthesia (OC) [Endoh, Honda, Komura, Shibue, Watanabe, Shimoji], 545
Nitroglycerin
in deliberate hypotension
effect of, on cerebrovascular carbon dioxide reactivity during propofol-fentanyl anesthesia (OC) [Endoh, Honda, Komura, Shibue, Watanabe, Shimoji], 545
Nitrogen balance
and intraoperative glucose administration
effect of, on circulating metabolites and, during prolonged surgery (OC) [Chambrier, Aouifi, Bon, Saudin, Paturel, Boulétreau], 646
Nitrous oxide
pharmacodynamic interactions and
isoflurane, fentanyl, and; as measured by median power frequency in surgical patients (OC) [Ropcke, Lier, Hoeft, Schwil-

den], 555
recovery profile and
effect on, in office-based anesthesia with propofol (OC) [Tang, Chen, White, Wender, Naruse, Kariger, Sloninsky], 226

O
Ondansetron
gynecological surgery
two-dose regimen of droperidol and (OC) [Warrick, Belo], 119
middle ear surgery
ondansetron-promethazine combination, or promethazine alone, reduces emesis in (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596
postoperative emesis, for
mathematical assessment of (OC) [Figuredo, Canosa], 24
repeat intravenous dosing of
in postoperative nausea and vomiting randomized, double-blind, placebo-controlled multicenter trial (OC) [Kovac, O'Connor, Pearman, Kekoler, Edmondson, Baughman, Angel, Campbell, Jense, Mingus, Shahvari, Creed], 453
Ondine's curse (congenital central alveolar hypoventilation syndrome)
in pediatrics
anesthetic care for child with (CR) [Strauser, Helikson, Tobias], 431
One-lung ventilation
in pediatrics
smaller double-lumen tube for (LE) [Fitzmaurice, Zuckerman, Brodsky, Hammer], 79
Operating room economics
reliance on historical surgical times only fails to estimate accurately future surgical times and is unlikely to reduce the average duration of late cases (OC) [Zhou, Dexter, Macario, Lubarsky], 601
Ophthalmic surgery
rapid sequence induction and intubation in elective
comparison of rocuronium, atracurium, and succinylcholine for (OC) [Vinik], 95
Oral practice examination program
organization of comprehensive anesthesiology program
planning, structure, startup, administration, growth, and evaluation (OC) [Schubert, Tetzlaff, Licina, Mascha, Smith], 504
Orthopedic surgery
geriatric
renin-aldosterone system and atrial natriuretic peptide during anesthesia in patients over 80 years of age (OC) [Kudoh, Ishihara, Matsuki], 101
Outcome feedback
individualized, in voluntary antiemetic prescribing practice changes (OC) [Overdyk, Harvey, Baldwin, Rust, Multani, Marcell], 17
Outpatient surgery
fast-tracking criteria for patients (LE) [White], 78
followup of patients
electronic mail for (CR) [Ellis, Klock, Mingay, Roizen], 136
preoperative evaluation clinic for
effect of shift from inpatient surgery to (OC) [Pollard, Garnerin], 39
Ovarian cancer
abdominal wall lift vs. carbon dioxide insufflation
in laparoscopic resection of (OC) [Ogihara, Isshiki, Kindscher, Goto], 406
laparotomy for
complications with subdural cannulation and local anesthetic injection in (CR) [Orbegozo, Sheikh, Slogoff], 129
Oxycodone
intrabursal
comparison of bupivacaine with, after acromioplasty (OC) [Muittari, Nelimarkka, Seppala, Kanto, Kirvela], 11

P
Pacemaker, implanted
interaction with transesophageal atrial pacemaker (CR) [Mychaskiw, Eichhorn], 669
Pain
alkalinizing local anesthetic
in circumcision; fails to decrease (OC) [Scrour, Levine, Mandelberg, Ben Yehuda, Boaz, Mori], 563
back
"failed back surgery syndrome"
effect of repeated epidural sympathetic nerve block on (OC) [Fredman, Zohar, Ben Nun, Iraqi, Jedeikin, Gepstein], 46
cancer, terminal
morphine analgesia improved by low doses of epidural ketamine or neostigmine, but not midazolam (OC) [Lauretti, Gomes, Reis, Pereira], 663
injection
intravenous jet injection; randomized trial with lidocaine (OC) [Zsigmond, Darby, Koenig, Goll], 87
propofol cause of
optimal lidocaine concentration to reduce (OC) [Ho, Tsou, Sun, Chu, Lee], 296
pain service, acute
effectiveness of, in a general hospital (OC) [Bardiau, Braeckman, Seidel, Albert, Boogaerts], 583
pediatric
after outpatient surgery (OC) [Munro, Malviya, Lauder, Voepel-Lewis, Tait], 187
Pain Service, Acute
effectiveness of, in a general hospital (OC) [Bardiau, Braeckman, Seidel, Albert, Boogaerts], 583
Pancreatectomy
and islet cell autotransplantation
anesthetic implications of (OC) [Manciu, Tran, Gruessner, Sutherland, Belani, Beebe], 576
Patient positioning
exaggerated lithotomy
acute renal failure secondary to rhabdomyolysis; cause of (CC) [Gabrielli, Caruso, Weiner, Crabtree], 257
Patient satisfaction
antiemetic prescribing practices and
effect of individualized outcome feedback (OC) [Overdyk, Harvey, Baldwin, Rust, Multani, Marcell], 17
consultant report, anesthesiology
disseminating information with; impact on patient perceptions of quality of care (OC) [Fleisher, Mark, Lam, Pearlman, Fisher, Snyder, Michelson, Parker], 380
followup after outpatient surgery
electronic mail for (CR) [Ellis, Klock, Mingay, Roizen], 136
Pediatrics
angiography
pulse oximetry during and after (LE) [Okuda, Urabe, Kitajima], 353
cervical plexus block
as alternative to general anesthesia in adolescents (CR) [Tobias], 606
emesis control in
isopropyl alcohol vapor; effect of (OC) [Wang, Hofstadter, Kain], 231
Morquio syndrome, pediatric
general vs. regional anesthesia for (CR) [Tobias], 242
Ondine's curse (congenital central alveolar hypoventilation syndrome)
in pediatrics
anesthetic care for child with (CR) [Strauser, Helikson, Tobias], 431
one-lung ventilation in

smaller double-lumen tube for (LE) [Fitzmaurice, Zuckerman, Brodsky, Hammer], 79

pain relief
after outpatient surgery (OC) [Munro, Malviya, Lauder, Voepel-Lewis, Tait], 187

preoperative pregnancy testing in
medico-legal conundrum (OC) [Wheeler, Coté], 56

propofol and
behavior disturbances of child repeatedly sedated with (LE) [Gozal, Gozal], 499

pulse oximetry for
effect of peripheral perfusion on accuracy of (OC) [Villanueva, Bell, Kain, Colingo], 317
probe, design of; effect of accuracy and reliability of pulse oximetry in (OC) [Bell, Luther, Nicholson, Fox, Hirsh], 323

resuscitation, newborn
anesthesia responsibility after cesarean section (DD) [Liang, Gaiser], 69

Russell-Silver syndrome in
late hypoglycemia in (LE) [Tomiyama, Ibuki, Nakajima, Tanaka], 80

surgery center for
establishment of, for increased anesthetic efficiency (OC) [Kain, Fasulo, Rimar], 540
issues of superspecialization in (ED) [Coté], 534

trismus pseudocamptodactyly (Hecht syndrome) (CR) [Scavello, Hammer], 254

Penile block
pain of
alkalinizing local anesthetic fails to decrease (OC) [Serour, Levine, Mandelberg, Ben Yehuda, Boaz, Mori], 563

Perioperative medicine
new directions in (LE) [Tetzlaff, Maurer, Parker, Litaker], 143 (Replies [Mangano, Liang], 142)

Pharmacodynamic interactions
isoflurane, nitrous oxide, and fentanyl; in surgical patients (OC) [Ropcke, Lier, Hoeft, Schwilden], 555

Pharmacodynamics
influence of priming technique on intubating conditions of cisatracurium and (OC) [Deepika, Kenaan, Bikhazi, Martineau], 572

Pheochromocytoma
difficult anesthesia management in surgery for (CR) [Shupak], 247

Plasma renin activity
in orthopedic surgery
renin-aldosterone system and atrial natriuretic peptide in patients over 80 years of age (OC) [Kudoh, Ishihara, Matsuki], 101

Plethysmography
in spinal anesthesia
propofol or midazolam; changes in respiratory pattern and arterial blood gases during sedation with (OC) [Yamakage, Kamada, Toriyabe, Honma, Namiki], 375

Pneumoperitoneum
complication of laparoscopic cholecystectomy
acute renal failure following (CR) [Ben-David, Croitoru, Gaitini], 486

Pneumotachography
respiratory flow measurements and anesthetics
in-vitro observations of (OC) [Filmyer, Sardar, Weissman], 355

Positive pressure ventilation
manually controlled
comparison of COPA with LMA (OC) [Heringlake, Doerges, Ocker, Schmucker], 590

Postanesthesia care unit
pulse oximeter signal processing technology in
effect on alarm frequency in (OC) [Rheineck-Leyssius, Kalkman], 196

Postdural puncture headache
and late postpartum eclampsia
avoiding epidural blood patch (LE) [Pivalizza, Harvey], 615

Pregnancy
cerebral palsy and
general anesthesia induction with propofol for cesarean section (CR) [Kariya, Toyoyama, Furuichi, Kubota, Toyoda], 672

Cesarean section
dysphagia in
intrathecal local anesthetic-opioid administration (CR) [Musch, Liposky], 413
meralgia paresthetica
complication of analgesia after (CR) [Schnatz, Wax, Steinfeld, Ingardia], 416
newborn resuscitation and
malpractice issues; anesthesia responsibility after (DD) [Liang, Gaiser], 69

Mendelson's syndrome and
oral intake policy in obstetrical patients (LE) [Doyle], 79

meningitis, iatrogenic bacterial
in labor
spinal anesthesia and pain relief during (LE) [Lurie, Feinstein, Heifetz, Mamet], 438

postdural puncture headache
and late postpartum eclampsia
avoiding epidural blood patch in (LE) [Pivalizza, Harvey], 615

postpartum eclampsia, late
avoidance of epidural blood patch in (LE) [Pivalizza, Harvey], 615

preoperative testing for
in pediatrics: a medico-legal conundrum (OC) [Wheeler, Coté], 56

Preoperative evaluation
clinic, outpatient
effect of, on shift from inpatient to outpatient surgery; retrospective review of perioperative setting and outcome (OC) [Pollard, Garnerin], 39
effects of mood-altering and alternative medicine on elective surgery patients (ED) [Roizen], 617
self-reporting of psychiatric medications by elective surgery patients (OC) [Scher, Anwar], 619

Preoperative pregnancy testing
in pediatrics; medico-legal conundrum (OC) [Wheeler, Coté], 56

Priming technique
influence of, on pharmacodynamics and intubating conditions of cisatracurium (OC) [Deepika, Kenaan, Bikhazi, Martineau], 572

Promethazine
emesis control in middle ear surgery
ondansetron-promethazine combination, or promethazine alone, for (OC) [Khalil, Philbrook, Rabb, Wells, Aves, Villanueva, Amhan, Chuang, Lemak], 596

Propofol
cesarean section
general anesthesia for parturient with cerebral palsy (CR) [Kariya, Toyoyama, Furuichi, Kubota, Toyoda], 672

cisatracurium and
duration and recovery profile of, after succinylcholine with isoflurane or (OC) [Soppitt, Gan, El-Moalem, Ginsberg, Weatherwax, Glass], 652

cognitive recovery
in the geriatic patient
influence of thiopental and, after general anesthesia (OC) [Fredman, Noga, Zohar, Yaretzky, Jedeikin], 635

cuffed oropharyngeal airway (COPA)
insertion of, with sevoflurane or (OC) [Goto, Nakata, Uezono, Niimi, Uchiyama, Morita], 280

fentanyl, and
effect of induced hypotension on cerebrovascular carbon dioxide

reactivity during anesthesia with (OC) [Endoh, Honda, Komura, Shibue, Watanabe, Shimoji], 545
injection pain of
optimal concentration of lidocaine to reduce (OC) [Ho, Tsou, Sun, Chu, Lee], 296
ketamine and
effect of, on bispectral index (OC) [Friedberg], 4
in office-based anesthesia
effect of nitrous oxide on recovery profile (OC) [Tang, Chen, White, Wender, Naruse, Kariger, Sloninsky], 226
pediatrics and
behavior disturbances of child repeatedly sedated with (LE) [Gozal, Gozal], 499
spinal anesthesia
midazolam or; changes in respiratory pattern and arterial blood gases during (OC) [Yamakage, Kamada, Toriyabe, Honma, Namiki], 375
target-controlled infusion of
interaction modeling of, and sufentanil, on loss of consciousness (OC) [Schraag, Mohl, Bothner, Georgieff], 391
Prostaglandin E_1
in deliberate hypotension
effect of, on cerebrovascular carbon dioxide reactivity during propofol-fentanyl anesthesia (OC) [Endoh, Honda, Komura, Shibue, Watanabe, Shimoji], 545
Prostatectomy
spinal vs. general anesthesia in
effect of, on bladder compliance and intraabdominal pressure during transurethral procedures (OC) [Olsfanger, Zohar, Fredman, Richter, Jedeikin], 328
Protamine
coronary artery bypass graft
noncardiogenic pulmonary associated with administration of (CC) [Urdaneta, Lobato, Kirby, Horrow], 675
Psychiatric drugs
effects of, on elective surgery patients (ED) [Roizen], 617
self-reporting of usage by elective surgery patients (OC) [Scher, Anwar], 619
Psychotropic drugs
effects of, on elective surgery patients (ED) [Roizen], 617
self-reporting of usage by elective surgery patients (OC) [Scher, Anwar], 619
Pulmonary edema, noncardiogenic
protamine sulfate
adverse effects of, in coronary artery bypass graft (CC) [Urdaneta, Lobato, Kirby, Horrow], 675
Pulse oximeter
in pediatrics
angiography
pulse oximetry during and after (LE) [Okuda, Urabe, Kitajima], 353
effect of peripheral perfusion on accuracy of (OC) [Villanueva, Bell, Kain, Colingo], 317
probe
design of; effect of accuracy and reliability in pediatrics (OC) [Bell, Luther, Nicholson, Fox, Hirsh], 323
placement of; and hypoxemia detection (OC) [Hamber, Bailey, James, Wells, Lu, Pace], 113
signal processing technology of
comparison with simple averaging; effect on frequency of alarms in the operating room (OC) [Rheineck-Leyssius, Kalkman], 192
comparison with simple averaging; effect on frequency of alarms in the postanesthesia care unit (OC) [Rheineck-Leyssius, Kalkman], 196
Pulse wave velocity
hemodynamic responses to anesthesia and surgical stimulation, and (OC) [Nakata, Goto, Ishiguro, Terui, Niimi, Morita], 285

Q

R

Radicular pain
"failed back surgery syndrome"
effect of repeated epidural sympathetic nerve block on (OC) [Fredman, Zohar, Ben Nun, Iraqi, Jedeikin, Gepstein], 46
Recovery, cognitive
in the geriatric patient
influence of thiopental and propofol on, after general anesthesia (OC) [Fredman, Noga, Zohar, Yaretzky, Jedeikin], 635
Regurgitation
and laryngeal mask airway
incidence of gastroesophageal reflux and, associated with timing of removal of LMA (OC) [Cheong, Park, Son, Lee, Song, Yoon, Kim], 657
Remifentanil
ambulatory surgery and
adjuvant during desflurane and early recovery from (OC) [Song, White], 364
conscious sedation with
in awake fiberoptic intubation; case report with pharmacokinetic simulations (CR) [Reusche, Egan], 64
Renal pelvic surgery
end-tidal alcohol monitoring, in
detection of fluid volume absorption by (OC) [Konrad, Gerber, Schupfer, Jenzer, Schmucki], 386
Residency training
anesthesiology as career choice
selection criteria for (OC) [Wass, Rose, Faust, Offord, Harris], 150
evaluation practices for (ED) [Schubert], 502
oral practice examination program
planning, structure, startup, administration, growth, and evaluation (OC) [Schubert, Tetzlaff, Licina, Mascha, Smith], 504
regional ocular program for
successes and failures of collaborative (OC) [Kleinman, Perlman, Anderson, Frey, Stevens, Belusko], 301
survey of 124 U.S. programs in
evaluation, feedback, and remediation (OC) [Rosenblatt, Schartel], 519
Respiration
flow measurements of
and anesthetic drugs; some in-vitro observations of (OC) [Filmyer, Sardar, Weissman], 355
spinal anesthesia and
respiratory pattern and arterial blood gas changes during midazolam or propofol (OC) [Yamakage, Kamada, Toriyabe, Honma, Namiki], 375
Rhabdomyolysis
acute renal failure secondary to; and exaggerated lithotomy position (CC) [Gabrielli, Caruso, Weiner, Crabtree], 257
Right heart hemodynamics
transesophageal echocardiographic assessment of, during high-frequency jet ventilation (OC) [Ihra, Kolev, Zakel, Kepka, Schabernig, Aloy], 32
Rocuronium
vs. cisatracurium
comparison of onset and clinical duration of high doses of (OC) [Lighthall, Jamieson, Katolik, Brock-Utne], 220
pretreatment with, for succinylcholine-induced fasciculations and myalgia; comparison with placebo in ambulatory surgery (OC) [Joshi, Hailey, Cross, Thompson-Bell, Whitten], 641
for elective eye surgery

rapid sequence induction and intubation in
comparison of atracurium, succinylcholine and (OC) [Vinik], 95

Russell-Silver syndrome
in pediatrics
late hypoglycemia in (LE) [Tomiyama, Ibuki, Nakajima, Tanaka], 80

S

Salicylate poisoning, undiagnosed
presenting as intraabdominal sepsis (CR) [Chui], 251

Sedation, conscious
remifentanil for
in awake fiberoptic intubation; case report with pharmacokinetic simulations (CR) [Reusche, Egan], 64

Sepsis, intraabdominal
salicylate poisoning misdiagnosed as (CR) [Chui], 251

Sevoflurane
cuffed oropharyngeal airway (COPA)
insertion of, with propofol or (OC) [Goto, Nakata, Uezono, Niimi, Uchiyama, Morita], 280
in geriatrics
effect of dexmedetomidine on minimum alveolar concentration of, in adults aged 55 to 70 years (OC) [Fragen, Fitzgerald], 466
intubation, tracheal, and
hemodynamic response to, after vital capacity rapid inhalation induction with different sevoflurane concentrations (OC) [Munoz, Gonzalez, Concha, Palma], 567
renal function
comparison of low-flow, with low-flow isoflurane (OC) [Groudine, Fragen, Kharasch, Eisenman, Frink, McConnell, Sevoflurane Low-Flow Study Group], 201
urologic surgery, in
recovery and pharmacokinetic parameters of desflurane, isoflurane, and (OC) [Behne, Wilke, Lischke], 460

Shoulder surgery
analgesia for
intrabursal oxycodone vs. bupivacaine (OC) [Muittari, Nelimarkka, Seppala, Kanto, Kirvela], 11

Society for Education in Anesthesia (SEA)
affiliation with *Journal of Clinical Anesthesia*, announcement (ED) [Cullen, Schubert], 85
***Journal of Education in Perioperative Medicine*, official journal of SEA**
inaugural section, 147
"virtual" electronic journal (ED) [Curry, Schubert], 148

Stress response
intraoperative glucose administration
effect of, on circulating metabolites and nitrogen balance during prolonged surgery (OC) [Chambrier, Aouifi, Bon, Saudin, Paturel, Boulétreau], 646

Succinylcholine
elective eye surgery
rapid sequence induction and intubation in
comparison of atracurium, rocuronium and (OC) [Vinik], 95
fasciculations and myalgia induced by
pretreatment with cisatracurium, rocuronium, and d-tubocurarine; comparison with placebo, in ambulatory surgery (OC) [Joshi, Hailey, Cross, Thompson-Bell, Whitten], 641
propofol or isoflurane, and
duration and recovery profile of cisatracurium after succinylcholine (OC) [Soppitt, Gan, El-Moalem, Ginsberg, Weatherwax, Glass], 652

Sufentanil
target-controlled infusion
interaction modeling of, and propofol, on loss of consciousness (OC) [Schraag, Mohl, Bothner, Georgieff], 391

Surgery center, pediatric
increased anesthetic efficiency of (OC) [Kain, Fasulo, Rimar], 540

Surgical duration
reliance on historical surgical times only fails to estimate accurately future surgical times and is unlikely to reduce average duration of late cases (OC) [Zhou, Dexter, Macario, Lubarsky], 601

Surgical stimulation
pulse wave velocity and
hemodynamic responses to anesthesia and (OC) [Nakata, Goto, Ishiguro, Terui, Niimi, Morita], 285
xenon
suppressor of hypnotic arousal in response to (OC) [Nakata, Goto, Ishiguro, Terui, Niimi, Morita], 305

Sympathetic nerve block
"failed back surgery syndrome"
effect of repeated epidural, on (OC) [Fredman, Zohar, Ben Nun, Iraqi, Jedeikin, Gepstein], 46

T

Thiopental sodium
cognitive recovery
influence of propofol and, in the geriatric patients after general anesthesia (OC) [Fredman, Noga, Zohar, Yaretzky, Jedeikin], 635

Thrombelastography
coagulation
lidocaine and bupivacaine, differential effects of, on whole blood (OC) [Tobias, Henry, Augostides], 52

Thrombus
deep vein thrombosis
course of molecular hemostatic markers during and after surgical procedures (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622
timing of formation
course of molecular hemostatic markers during and after different surgical procedures (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622
intravenous
high incidence of, after short-term central venous catheterization of the internal jugular vein (OC) [Wu, Studer, Skarvan, Seeberger], 482

Total hip arthroplasty
postoperative analgesia for
intravenous patient-controlled analgesia with morphine, patient-controlled epidural analgesia, or continuous "3-in-1" block; prospective evaluation of in acute pain service (OC) [Singelyn, Gouverneur], 550
thrombus formation, timing
course of molecular hemostatic markers during and after (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622

Trachlight™
optimal length and angle of new device for (OC) [Nishiyama, Matsukawa, Hanaoka], 332

Transurethral surgery
spinal vs. general anesthesia in
effect of, on bladder compliance and intraabdominal pressure during transurethral procedures (OC) [Olsfanger, Zohar, Fredman, Richter, Jedeikin], 328

Trauma
blast injury
hemodynamic monitoring in (CR) [Weiss, Oppenheim-Eden, Gilon, Sprung, Muggia-Sullam, Pizov], 132
pharmacokinetics during
morphine and lidocaine administered to severe trauma patients (OC) [Berkenstadt, Mayan, Segal, Rotenberg, Almog, Perel, Ezra], 630

Trismus pseudocamptodactyly (Hecht syndrome)
in child (CR) [Seavello, Hammer], 254
d-Tubocurarine
pretreatment with, for succinylcholine-induced fasciculations and myalgia; comparison with placebo in ambulatory surgery (OC) [Joshi, Hailey, Cross, Thompson-Bell, Whitten], 641

U
Ultrasonography
intravenous thrombi
high incidence of, after short-term central venous catheterization of internal jugular vein (OC) [Wu, Studer, Skarvan, Seeberger], 482
ventricular fibrillation
cerebral blood flow velocity during (OC) [Gopalan, Lee, Ikeda, Burch], 290
UpsherScope™
fiberoptic laryngscope
gum elastic bougie improves utility of (OC) [Yeo, Chung, Hin], 471
Urologic surgery
desflurane, sevoflurane, and isoflurane
recovery and pharmacokinetic parameters in (OC) [Behne, Wilke, Lischke], 460
renal pelvic
end-tidal alcohol monitoring in (OC) [Konrad, Gerber, Schupfer, Jenzer, Schmucki], 386
spinal vs. general anesthesia in
effect of, on bladder compliance and intraabdominal pressure during transurethral procedures (OC) [Olsfanger, Zohar, Fredman, Richter, Jedeikin], 328

V
Vein, internal jugular
intravenous thrombi and
high incidence of, after short-term central venous catheterization of (OC) [Wu, Studer, Skarvan, Seeberger], 482
Venous thrombosis, deep
and course of molecular hemostatic markers during and after surgical procedures (OC) [Siemens, Brueckner, Hagelberg, Wagner, Schmucker], 622
Ventilation
high-frequency jet
transesophageal echocardiographic assessment of right heart hemodynamics during (OC) [Ihra, Kolev, Zakel, Kepka, Schabernig, Aloy], 32
mechanical
respiratory flow measurements and anesthetics
in-vitro observations of (OC) [Filmyer, Sardar, Weissman], 355
one-lung
in pediatrics; smaller double-lumen tube for (LE) [Fitzmaurice, Zuckerman, Brodsky, Hammer], 79
positive pressure
manually controlled
comparison of cuffed oropharyngeal airway with the laryngeal mask airway during (OC) [Heringlake, Doerges, Ocker, Schmucker], 590
Ventricle
fibrillation
cerebral blood flow velocity during (OC) [Gopalan, Lee, Ikeda, Burch], 290
preload, left
relationship between systolic pressure variation and (LE) [Takenaka, Aoyama, Kadoya], 141 (Reply [Ornstein], 142)
Visual analog scale
and acute pain service evaluation
pain indicators as performance measures in (OC) [Bardiau, Braeckman, Seidel, Albert, Boogaerts], 583
Vital capacity rapid inhalation induction (VC-RII)
and sevoflurane
hemodynamic response to tracheal intubation with different concentrations of (OC) [Munoz, Gonzalez, Concha, Palma], 567

W
Warming devices
forced-air
sympathetic blockade; effect of on efficiency of forced-air warming in total hip arthroplasty (OC) [Casati, Baroncini, Pattono, Fanelli, Bonarelli, Musto, Berti, Torri], 360

X
Xenon
cost analysis of
comparison with nitrous oxide-isoflurane and nitrous oxide-sevoflurane (OC) [Nakata, Goto, Niimi, Morita], 477
suppressor of hypnotic arousal
in surgical stimulation; response to (OC) [Nakata, Goto, Ishiguro, Terui, Niimi, Morita], 305

Y

Z